UNCLASSIFIED AD NUMBER AD389981 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. Document partially illegible. FROM: Distribution authorized to DoD only; Administrative/Operational Use; 30 NOV 1979. Other requests shall be referred to Army Assistant Chief of Staff for Force Development, Washington, DC 20310. Document partially illegible. AUTHORITY AGO D/A ltr 29 Apr 1980

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

	AD NUMBER	
	AD389981	
	CLASSIFICATION CHANGES	
TO:	UNCLASSIFIED	
FROM:	CONFIDENTIAL	
	LIMITATION CHANGES	

TO:

Distribution authorized to DoD only; Administrative/Operational Use; 30 NOV 1979. Other requests shall be referred to Army Assistant Chief of Staff for Force Development, Washington, DC 20310. Document partially illegible.

FROM:

DTIC Classified Users Only. Controlling DoD Organization: Army Assistant Chief of Staff for Force Development, Washington, DC 20310. 11 Aug 1967. Document partially illegible.

AUTHORITY

31 Aug 1979, DoDD 5200.10 gp-4; 31 Aug 1979, DoDI 5230.24

THIS REPORT HAS BEEN DELIMITED AND CLEARED FOR PUBLIC RELEASE UNDER DOD DIRECTIVE 5200.20 AND NO RESTRICTIONS ARE IMPOSED UPON ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

SECURITY MARKING

The classified or limited status of this report applies to each page, unless otherwise marked.

Separate page printouts MUST be marked accordingly.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 AND 794. THE TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Best Available Copy

DISTRIBUTION (Cone d)
US Army Medical Field Service School
US Army Military Police School
US Army Ordnance School
US Army Quartermaster School
US Army Security Agency School
US Army Signal School
US Army Special Warfare School
US Army Transportation School
Copies Furnished:
Office, Chief of Staff, US Army
Deputy Chiefs of Staff
Chief of Research and Development
Assistant Chiefs of Staff
Chief of Engineers
The Surgeon General
The Provost Marshal General
Research Analysis Corporation (Library)
Dr. Martin J. Bailey, OSD (SA)
National Aeronautics and Space Administration, Office of Defense Affair
Joint Action Control Office
Documents Control Officer, Bell Aero Systems Co.
Director, Weapons System Evaluation Group
Commanding Generals
US Army Weapons Command
US Army Weapons Command 101st Airborne Division (-)
llth Infantry Brigade (Sep)
Commanding Officers
5th Battalion, 46th Infantry
5th Battalion, 46th Infantry 5th Battalion, 12th Infantry
6th Battalion, 31st Infantry
31st Engineer Battalion (Cbt)
5th Battalion, 42d Artillery (155mm-T)
5th Battalion (AW)(SP) 2d Artillery

NI-32EGO	for
CFETI	WHITE SECTION
9 0C	BRIT SECTION TO
"III ANNOUNC	es 🗆
STEFICATI	M
Y	
BETRIBUT	ION/AYAHLASTEITY CODES
BIST.	AVAIL and/or SPECIAL
α	
	3 2
	j j

2

CONFIDENTIAL

HEADQUARTERS, 5TH BATTALION (AW)(SP) 2D ARTILLERY
APO San Francisco 96266

11 August 1967

SUBJECT:

Operational Report For Quarterly Period

Ending 31 July 1967 (RCS-CSFOR-65) (U)

THRU:

Commanding General

II Field Force Vietnam Artillery

APO US Forces 96266

Commanding General II Field Force Vietnam APO US Forces 96266

Commanding General United States Army Vietnam ATTN: AVC-DH APO US Forces 96307

Commander In Chief United States Army Pacific ATTN: GPOP-MH APO US Forces 96558

TC:

Assistant Chief of Staff for Force Development Department of the Army Washington D.C. 20310

(C) Operational Report - Lessons Learned for Quarter Ending 31 July 1967 is submitted in compliance with USARV Regulation 870-2.

Section I: Significant Organization Activities

a. General: During the reporting period the battalion remained assigned to U.S. Army Vietnam, attached to II Field Force Vietnam, with operational command exercised by II Field Force Vietnam Artillery. Battery A remained under the operational control of the 1st Infantry Division. Battery B remained under the operational control of the 25th Infantry Division Artillery. Battery C remained under the operational control of the 9th Infantry Division Artillery. Battery D was withdrawn from operational control of 25th Infantry Division Artillery and became the GS Battery for II Field Force Vietnam Artillery. Battery D (MG) 71st Artillery was deployed as follows: Let section attached to Battery D and employed at Fire Support/Patrol Bass at Soui Da, 5th section went under operational control of 54th Artillery Group and employed at Fire Support/

Group 4
Powngraded at 3 year intervals
Declassified after 12 years

FOR OT RO FILE

CONFIDENTIAL

SUBJECT: Operational Report for Quarterly Period Ending 31 July 1967, (RCS-CSFNR-65) (U)

11 August 1967

Patrol Base which was opened at Ham Tan on 10 July 1967, 4th section and half of the 2d section remained at Quan Loi under operational control of Task Force Dixie, 3d section remained attached to Battery C, and 6th section and half of the 2d section remained attached to Battery B. Battery I (SLT) 29th artillery was deployed as follows: 1st Platoon remained under operational control of 1st Infantry Division Artillery, 3rd Platoon remained attached to Battery B. and 2d Platoon was withdrawn from 9th Infantry Division Artillery and became the GS Platoon for II Field Force Vietnam Artillery. The 2d Platoon is employed as follows: 4 searchlights each at Fire Support/Patrol Bases at Soui Da and Ben Luc, 2 searchlights at Fire Support/Patrol Base at Ham Tan and 2 searchlights at the battalion base camp (YT127114). During the reporting period 4 M42s from Battery D went under operational control of 54th Artillery Group and were employed at Fire Support/Patrol Base which was opened at Ben Luc on 3 July 1967. During the reporting period elements of the battalion supported the following operations: Banking Sands, Kole Kole, Lamson 67, Paddington, Akron, Task Force Dixie, Manhatten, Diamond Head, Kawala, Akuma, Makalapa, Shelton, Red Ball I and II, Blue Shield II, Billings, Dallas, Junction City II, Interprise, and Coronado I.

b. Administrative/Personnel:

(1) Strength:

5th Battalion (AW)(SP) 2d Artillery is organized under TO&E 44-85F. Battery D (MG) 71st Artillery is organized under TO&E 44-58T. Battery I, (SLT) 29th Artillery is organized under TO&E 6-558E, with authorized and assigned strength as of 31 July 1967 as follows:

<i>;</i>	AUTHORIZED		ZED	ASSIGNED		D
•	OFF	<u>wo</u>	<u>EM</u>	OFF	WO	<u>em</u>
5th Bn (AW)(SP) 2d Arty Btry D (NG) 71st Arty Btry I (SLT) 29th Arty	37 2 7	3 0 0	658 112 1 44	39 2 4	3 0 0	750 140 142
(2) Gains and Losses						
	<u>G</u> ,	AINS	•	LOS	SES	
	<u>OFF</u>	<u>WO</u>	EM	off	<u>%0</u>	EM
5th Bn (nW)(SP) 2d Arty Btry D (MG) 71st Arty Btry I, (SLT) 29th Arty	8 1 4	0 0	50 6 3	5 0 7	0	18 5 6

Downgraded at 3 year intervals
Declassified after 12 years

SUBJECT: Operational Report for Quarterly Period Ending 11 August 1967 31 July 1967 (RCS-CSFOR-65) (U)

(3) Casualties during the period include

TYPE	NUMBER
Killed in action	2
Died of battle wounds	0
Wounded in action	25
Missing in action	0
Non-battle deaths	1

(4) Personnel Management

No significant occurrences during the reporting period.

(5) Rest and Recuperation Program

(a) The following out-of-country R&R trips were taken by members of this organization:

LOC TION	M/A	JUNE	JULY
Hawaii	13	14	11
Hong Kong	10	11	13
Minila	4	3	4
Tokyo	13	12	3.6
Bangkok	13	12	16
Singapore	3	0	6
Taipei	12	32	21
Penning	3	3	5
Kuala-Lumpur	3	3	4.

(b) The following in-country R&R trips were taken by members of this organization:

LOCATION		<u>MAY</u>	JUNE	JULY
Vung Tau	•	15	15	25

- (c) This headquarters R&R program operates within the the allocations given to II. Field Force Vietnam.
 - (6) Monale

The morala of this organization is high.

(7) Awards and Decorations

The following awards and decorations were presented during the / reporting period.

MARI

NUMBER

Group 4 Downgraded at 3 year intervals Declassified after 12 years

Silver Star CONFIDENTIAL 3

SUBJECT: Operational Report for Quarterly Period Ending 11 August 1967 31 July 1967 (RCS-CSIOR-65) (U)

AWARD	NUMBER CONFIDENTIAL
Bronze Star Medal Soldier's Medal Air Medal	6 w/V device, 13 for service or achievement 1
Army Commendation Medal	6 w/V Device, 10 for service or achievement
Purple Heart Good Conduct Medal	50 4

(8) Discipline, Law and Order

The following judicial and non-judicial actions were conducted during the reporting period:

Article	15		22
Summary	Court	Martial	1
Special	Court	Martial	0
General	Court	Martial	0

(9) Safety

(a) During the reporting period there were two artillery incidents caused by ricocheting rounds.

l The first incident occurred during a normal H & I mission bein conducted by a M55 "Quad 50". One 50 Cal round entered a native hut from a direction which indicated that it was a ricochet and wounded two Vietnamese civilians. The angle at which the round entered the building precludes that the weapon was fired directly in the village as there was ten or more closely grouped houses located between the weapon and the house that was hit. No evidence was found of additional rounds in the area. It was the conclusion of the investigating officer that the incident was caused by a single round that ricocheted off trees located outside the village and in line with the direction of fire of the weapon. Further investigation indicated that the fire was conducted within the safety limits, however to insure a further margin of safety, the fire limits were moved an additional 800 mils away from the village for a total safety limit of 1200 mils.

2 The second incident occured during a normal H&I mission being conducted by a M42 "Duster". 40PM rounds from the "Duster" landed 61 mils left and at a 500 meter greater range than actually fired, killing two Vietnamese and wounding two. Investigation indicated that a number of rounds were fired that did not have a tracer element. Firing was stopped, ammo lots were changed and tracers were observed from all rounds in the second lot. The point of impact was over 4,000 meters from the firing position. Therefore, the probable cause of the incident was a combination of a nonfunctioning tracer element in the projectile and a ricochet. If functioning properly, self destruction of the round would occur at tracer burnout, which is 3500 meters.

(b) This Battalion has expurienced many cases of ricocheting rounds during the reporting period. There is no solution to the problem

Group

Rowngraded at 3 year intervals

Daclascified after 12 years

Operational Report - For Quarterly Period SUBJECT: Ending 31 July 1967 (RCS-CSFOR-65)

11 August 1967

but caution should be exercised when firing over water, in areas where there are large ant hills and in dense jungle. Extreme caution is needed when firing into an area where helicopters are operating as many rounds ricochet up causing Tlak at various altitudes.

- (c) The Battalion had one death caused by the accidental discharge of an M-16. An individual pulled the slide of his weapon back to check for the presence of a round in the chamber, when he let the slide of the weapon go forward a round discharged and struck his friend in the chest, killing him almost instantly. Safety orientations are continually hold for all personnel to prevent completency and remind personnel of the hazards associated with small arms.
- (d) One man sustained burns and there was some property damaged when gasoline ignited from being spilled on a hot exhaust pipe of an M-42. The man was pouring gas from a 5 gal can w/spout into the fuel tank of an M42 when a small amount of gas spilled on the hot exhaust pipe igniting the gas can. All members of the unit were informed again of the safety requirements for refueling vehicles. In this case, unsafe personnel factors were involved in that the gasoline was poured into the fuel tank too fast causing the fuel inlet to overflow onto the hot exhaust pipe.

c. Operations and Intelligence

- (1) Missions: During the reporting period elements of the battalion were used in the following missions or roles:
 - Perimeter Security

Convoy escort

Security of road clearing parties

Road outposting

Blocking force or flank security

- Direct fire support of maneuver elements to include:
 - Reconnaissance by fire

- 2 Preparatory fires
 3 Covering fires
 4 On call, will adjust, direct fires.
- H&I fires for basecamp perimeter

Search and destroy

Village seal

Mobile reserve or ready reactionary force

Riverine fire base or patrol

Helilift operations

Security of Rome Plow operations

Amphilian Beach Landings in conjunction with opening new Fire Support/Potrol Bases.

> Granto 4 Powngraded at 3 year intervals Declarsized after 5 years

CONFIDENTIAL

SUBJECT: Operational Report for Quarterly period Ending 11 August 1967 31 July 1967 (RCS-CSFOR-65) (U)

(2) Operations and Intelligence Function

The battalion operations and intelligence section continued to function as a point of coordination between major supported commands, as an AW advisor for major supported commands, and keeping the commander informed of the current tactical situation as it pertains to elements of the battalion and of any problems that exist that would affect the battalion capability to satisfactorily perform their mission.

- (3) During the reporting period, the Battalion sustained one combat loss on a M55. No M-42s were lost. Replacement of the M55 took 37 days.
- (4) During the reporting period a critical shortage of searchlight repair parts existed which resulted in 12 searchlights being deadlined at one time. However, at the present time, an adequate amount of repair parts are available. One item that greatly reduced the number of deadlined searchlights is a conversion kit which will change a 100 amp alternator to the 180 amp alternator required for searchlight use.
- (5) The chart below shows a comparative summary of mining incidents and major parts usage since deployment to Vietnam.

	MINES	ENGINES	TRAMS	FINAL DRIVE	RD WHEELS
Battery A:	11	25	11	4	74
Battery B:	· 2	9	4	2	10
Battery C:	3	24	8	4	50
Battery D:	3	3	ij	1	16

SECTION II, Part I - Observation/Lessons Learned (U)

M-55 Helilift Techniques

Item - (U) No formal M-55 helilift techniques exist in current Department of the Army applicatory training literature or manuals. The techniques listed below were developed by Battery D (MG) 71st Artillery, attached to 5th Battalion (AW)(SP) 2d Artillery, and have been used in over 50 combat helilift operations in Vietnam.

Discussion - (U) In preparation for helilift operations the M-55 mount is first removed from the 2½ ton truck in the vicinity of the pick up point. Necessary slings and cargo bags are issued prior to the arrival of the CH-47 helicopters. In some cases, where this sort of operation is frequent, the slings and cargo bags are part of the organic squad equipment. The cargo bag (M-22 Kit) is then loaded using the following checklist:

Combat Checklist for Halilift

a. Ammunition:

10,000 rds .50 cal.

Group 4
Downgraded at 3 year intervals
Doslagsified after 12 years

1,000 rds 7.62 mm 860 rds 5.56mm One box on trip flares, claymore mines, and hand grenades.

b. Rations and other gear:

2 en 5 gal cans of water

1 en case of "C" rations

1 en 5 gal can of gas

1 en 5 gal can 30 wt cil

4 can PL special oil

BILI for M-55 (May include machine gun barrels and spare barrels)

Pioneer tools

500 sandbags

Personal gear of crew

After the Λ -22 bag is loaded and secured, the Λ -22 bag is brought together with the M-55 mount. The mount should have the jack mounting brackets facing the Λ -22 bag.

Wooden durnage between the two will prevent damage. The guns are left on the mount and covered with canvas or any available material so as to minimize the effect of the dirt and debris caused by the severe prop wash of the CH-47. The barrels are removed from the guns and along with the spare barrels, placed in the gunners seat or packed in the A-22 bag. The M-18 reflex sight is also removed and placed in its carrying case. The guns are then elevated to 45 degrees so the sight bar and the trunion lube points are even. The mount itself is not covered due to the lack of a quick disconnect capability. If at some future date, a quick disconnect canvas is developed, it also would be used to minimized the effect of dirt and debris.

Eight two foot sling legs or straps are used. They are fastened to clevises which in turn are fastened to the four lifting eyes at the top of the mount and the four corners of the 1-22 bag. One two loop sixteen foot suspension sling is then used to join the straps together. I donut; a continuus mylon loop strap, shaped like a donut; is also attached to the suspension sling and is placed into the suspension hook of the CH-47 while it hovers over the load. The sixteen foot suspension sling must be adjusted so that the load is balanced. Normally the length to the 1-22 bag is half the length to the mount.

Prior to hooking to the load, the CH-47 lands and the crew boards the aircraft. The AN/PRC-25 radio is carried by the left cannoneer. The M-60 machine gun is carried by the driver along with 200 rounds of ammunition. The M-18 reflex sight is carried by the Squad Leader or the gunner if the Squad Leader had gone forward with a reconnaissance party.

The CH-47 will then bover over the M-55 and A-22 bag while the donut is placed in the suspension book by someone not going forward. Caution must be exercised on several accounts during this portion of the procedures. The person making the connection must stand on the top of the load in order to make the book. He must have a firm well balanced flotting or he wall to blown off by

Group 4
Downgraded at 3 year intervals
Technological after 12 years
CONFIDENTIAL

9

the 100 MPH winds of the hovering CH-47. He must watch that the CH-47 does not settle to low and cause possible damage to the load or injury to himself. He must be careful when placing the donut into the suspension hook so as not to touch the metal portion of the hook. Doing so will result in a shock from static electricity of sufficient magnitude to knock him off the load regardless of his footing. Once hooked up the CH-47 makes its lift and the M-55 and crew is moved to their destination. The entire load, internal and external combined, weight in the vicinity of 8,000 pounds and can be lifted in one CH-47 sortie.

Where possible, the squad leader should preced his mount into position and select his firing site. This, of course, is coordinated with the commander of the supported unit. When his M-55 arrives, smoke is placed on the site and the CH-47 will lower the mount at the proper location, thereby minimizing subsequent moves. Moves are difficult due to the small wheels on the M-55 and the rough terrain in most areas in Vietnam.

Observation (U) The helilift capability of the M-55 provides a flexible and highly mobile automatic weapons capability available for perimeter security during that type of operation.

FIELDS OF FIRE FOR AUTOMATIC WEAPONS (U)

Item - (U) In order to achieve minimum response time when firing suppressive counter mortar fire from night defensive positions, it is necessary that permissive fields of fire be defined for all automatic weapons employed on the perimeter.

Discussion - (U) There have been several recent incidents whore night defensive positions or Fire Support/Patrol Bases which have had automatic weapons employed on their perimeter have received enemy mortar rounds. In several cases the automatic weapons crew observed the flashes from the mortar positions but were either delayed or prohibited from returning suppressive fire by having to call the command post and request permission to fire. Several other positions had permissive fields of fire and were able to bring fire on the enemy position immediately. A permissive field of fire is defined as a field of fire for a given period in which permission to fire is automatically granted in the event of attack. Permissive fields of fire would change as the positions of ambush patrols, CPs, LPs, stc, changed. They are plotted on a range card for instant use in the event of attack. If, in the example above, mortar flashes are observed by an automatic weapons crew, the squad leader checks his range card to see if the flashes are in a permissive field of fire and, if so, brings immediate suppressive fire onto the area. He would also report the position of the flashes to the TOC or FDC as appropriate.

Group 4
Downgraded at 3 year intervals.
Declassified after 12 years

SUBJ CT: Operational Report - for Quarterly Period Ending 31 July 1967 (RCS-CSFOR-65) (U)

H

11 August 1967

Observation - (U) An enemy mortar attack or penetration attempt can more rapidly be countered through the use of permissive fields of fire. Personnel in charge of automatic weapons elements should coordinate closely with the supported unit in order to have timely and accurate permissive fields of fire defined for all fire positions.

Test Firing of Automatic Weapons (U)

<u>Item</u> - (U) To insure maximum operational readiness and crew proficiency, it is necessary to test fire at least weekly.

Discussion - (U) Wombour must be test fired at least weekly in order to insure that they will function correctly during an engagement. All weapons are disassembled, cleaned, reassembled, and adjusted daily. Each day there is a possibility for error in assembly or adjustment. Certain components of the automatic weapons required periodic exercise, such as the recoil cylinders and recuperator spring. Crew proficiency and confidence will also deteriorate unless the weapons are test fired periodically or fired in combat. Many places where automatic weapons are employed have been spared enemy attack for long periods at a time and as a result weapons have not been fired in anger or exercised for these periods. In order to insure that the weapons function properly test firing must be programmed. That firing may be accomplished from the location where employed after effecting necessary fire coordination or from a field location in the vicinity. If reither of the two methods are feasible then crews should be rotated with their equipment between areas of active firing and areas of lesser activity.

Observation - (U) Test firing of automatic weapons is essential at least once a week and can be accomplished thru effective scheduling and coordination.

Arrangement of Firing Site, Bunker and Quarters Area (U)

Item - (U) The living area of the weapons crews must be as close to the firing position as possible.

<u>Discussion</u> - (U) Readiness to deliver rapid on call automatic weapons fire is the prerequisite for 40mm and cal .50 multiple weapons when deployed as perimeter security or ready reaction force (RRF) systems. Similarly, crew protection during ground or mortar attack comes second only to selection and emplacement of the weapon. Lessons learned during field operations by units of this command have established that rapid transition from living quarters to overhead cover to manning the guns is best achieved when the following is true.

- a. Location of overhead bunker as part of weapon bulwark.
- b. Living quarters are collocated as part of overhead bunker and as near the weapon as possible.

Group 4
Douggraded at 3 year;
intervals
Declassified after 12 years

CONFIDENTIAL

1.1.9

SUBJECT: Cperational Report - for Quarterly Period Ending 31 July 1967 (RCS-CSFOR-65) (U)

11 August 1967

12

Observation - (U) This type of construction scheme enhances crew protection as well as weapon system employment. During mortar attacks, crews may obtain protection without prolonged exposure to fire due to excessive distance to cover from either the weapon or living quarters. During an active defense or when called as reaction force, the minimum reaction time is achieved and maximum control is maintained.

Combat Area Comon Hazards - (U)

- Item (U) Convoy hazards are greatly increased in the combat zone.
- Discussion (U) In CONUS, routine convoys were often marred by accidents. These accidents were usually due to either equipment failure or poor driver judgement. The same type of road problems are found in Vietnam only in greater quantities and usually under worse weather conditions. Drivers have, for the most part, overcome the speed problem, and equipment failure is negligable. The new and more serious danger of mines is introduced in the combat area that drivers can avoid if the following causes are recognized and preventive action taken.
- a. On poor roads or under poor weather conditions in convoys consisting of a mixture of heavy haulers and wheeled vehicles; track vehicles have a tendency to close up faster and pull away easier.
- b. In closing up the danger of an accident is compounded if the front vehicle hits a mine.
- c. The effects of the blastare then shared by two vehicles instead of one and additional damage and often injuries are experienced because a driver followed too close.
- d. This danger is multiplied, in effect, when one of the vehicles is hauling POL or ammunition.
- e. Recent injury to a member of this unit lends credence to this danger as the driver let his track get too close to a vehicle that subsequently hit a mine,
- Observation (U) A positive approach when discussing accidents due to "tailgating" would be to also emphasize the danger associated with hostile mine action. When we reduce accidents we reduce injury and equipment down time.

Combined Xenon Searchlight, N-42 and M-55 Operations - (U)

Item - A need exists for the development of a gun sight that takes advantage of the infra-red searchlight.

Discussion: A field-expedient infra-red sight has been devised through the use of the reflex sights organic to the N-42 and N-55 and the infra-red metascope organic to each infra-red searchlight. The basic principle is simple; the N-24 reflex sight on the M-42 and the M-18 reflex sight on the

CONFIDENTIAL 34

Group 4

Powngraded at 3 years intervals

Declassified after 12 years

SUBJECT: Operational Report - for Quarterly Period Ending 31 July 1967 (RCS-CSFOR-65) (U) 11 August 1967

M-55 can be artificially illuminated at night. The infra-red metascope has no magnification hence no adjustment of focus is necessary to clearly distinguish between near or far objects. When the searchlight illuminates an enemy target, the gunner will sight through the metascope to see the lighted reticle pattern of the reflex sight and he will position the guns so that the reticle pattern is centered on the target illuminated by infra-red light.

A step-by-step procedure is outlined below as a guideline for use of

this method.

1. Preparations

a. Whenever possible, collocate M-42's and M-55's with Xenon searchlights.

b. Boresight the reflex sight on the M-42/M-55 for 500 meters.

c. Place M-42's in manual operations.

d. Establish some means of communications between the M-42/M-55 and the searchlight.

e. Lay the M-42 and the searchlight on a grid azimuth.

f. The M-42/M-55 will keep the infra-red metascope for sighting and the searchlight will use the infra-red binoculars for searching.

g. Mount the metascope in conjunction with the M-42/M-55 reflex sight, insure that the optical center of the metascope is generally aligned with the reticle pattern of the reflex sight in order to afford maximum peripheral vision to both sides of the cross hairs. A mount specifically designed for this purpose is presently being fabricated by the 725th maintenance Bn, 25th Infantry Division. Until such time as a mount is available the metascope can be hand held. This, however will allow the gunner the use of only one hand to adjust the elevation of the guns.

h. Ensure that the speed of the computing sight is set to zero before operation of the reflex sight.

2. Normal Operation:

a. The searchlight will scan the desired area and the searchlight crew will observe with the infra-red binoculars. The M-42/M-55 crew can scan with the metascope detached from the mount.

b. When a target is visually located, the searchlight crew will

focus infra-red light on the target.

c. The gunner of the M-42/M-55 will illuminate the reflex sight with the organic night-lighting device and will adjust the intensity of the artificial light to such a point that the reticle pattern of the sight is visible and at a comfortable distance from the reflex lens.

d. In manual operation, it will be necessary for the gunner to direct the azimuth tracker onto the target. However, if the gunner is proficient in power operation and if a mount is available to hold the metascope, it is conceivable that power operation would be more desirable.

e. When the target 13 contored in the reticle pattern on the reflex sight, the gunner can fire and expect first round accuracy.

f. If the target should move, the searchlight crew can keep the

1. If the target should move, the searchlight crew can keep the light on the target by viewing through the binoculars and the M-42/M-55 can track the target through the meatscope and reflect sight.

Group 4

Downgmaded at 3 year intervals Declassified after 12 years

CONFIDENTIAL

13

SUBJECT: Operational Report - for Quarterly Period Ending 31 July 1967 (3CS-CSFOR-65) (U)

11 August 1967

14

Observation: (U) Experimentation has demonstrated that the quabilities of the searchlight can be coupled with the N-42 and N-55 and completely deny unobserved enemy penetration of our perimeter of defense.

SECTION II, PART II RECOMMENDATIONS: (U)

A Limited Night Target Acquisition Capability (U)

Elements of this battalion are halitually given extensive night perimeter security missions. Currently elements of this battalion are actively providing security for:

- a. 14 fire support/patrol bases
- b. 10 base camps
- c. A rock quarry
- d. An airfield/recupply area
- e. 5 night defense positions

At present the night target aquisition capability does not parallel the range capability of either the M-42 or the M-55. Occasionally a Xenon searchlight is available for use in conjunction with a M-42. The great majority of the time however, the only target acquisition means available is a pair of binoculars, which are highly dependent upon the amount of moonlight available. Even under the best conditions at night, the binoculars are barely adequate for target acquisition. There are two recent examples in which casualties and equipment damage could possibly have been averted if night detection devices had been available:

- a. Two M-55's were providing perimeter security for a Fire Support/
 Patrol Base near Trung Lap. Under the cover of darkness, an unknown number
 of Viet Cong were able to get close enough to fire an RPG-2 at the M-55. The
 M-55 was destroyed and there was one man killed and one man wounded.
- b. Six M-55's were providing perimeter security for a large complex at Quan Loi. Under the cover of darkness, an estimated company of Viet Cong were able to surreptitiously breach the perimeter fence and conduct a coordinated mortar and ground attack. The results were considerable US casualties and significant equipment damage.

The addition of a starlight scope, line item U 29238 1, for each M-42 and M-55 would make them a much more formidable night perimeter security weapon by denying to a greater degree the cover of darkness to the Viet Cong. This headquarters submitted an MTOE on 25 May 1967 which will add the starlight scopes. Also, on 27 July 1967, a request for emergency issue of the starlight scopes was submitted.

RECOMMENDATION: Early approval of the request for emergency issue and that a starlight scope, line item U 29238 1, be included in future TOE for each M-42 and M-55.

DISTRIBUTION: Special LTC, Artillery
Commanding
CONFIDENTIAL

AVFB-FAC (11 Aug 67) 1st Ind SUBJECT: Operational Reports - Lessons Learned (U)

DA, HQ, II FFORCEV Arty, APO 96266

THRU: Commanding General, II Field Force Vietnam, APO 96266

Commanding General, United States Army Vietnam, ATTN: AVHGC-IH, APO 96375

Commander in Chief, United States Army Pacific, ATTN: GPOP-OT, APO 96558

TO: Assistant Chief of Staff for Force Development, Department of the Army, Washington D. C. 20310

- 1. (U) The quarterly report of the 5th Battalion (AW) (SP), 2d Artillery (UIC W-FQJ-AA) adequately reflects the operations and lessons learned during the reporting period.
- 2. (C) The following comments pertain to the attached Operational Report Lessons Learned:
- a. Section I, paragraph b,(9)(a)1&2. The automatic weapons H&I program is continually monitored to provide increased margins of safety. On occasion, this headquarters has suspended automatic weapons H&I fires at selected firing positions, due to the density and closeness of the civilian populace.
- b. Section I, paragraph c,(4). There is a definite requirement for an in-country repair facility for the 25 inch Xenon Searchlight. The turn-around times involved with transferring defective sub-assemblies to Granite City Arsenal in CONUS are unacceptable. Additionally, adequate stockages of in-country repair parts should be provided. This was recommended in this headquarters' Operational Report Lessons Learned for this period.
- c. Section II, Part II, Concur. There is a definite requirement for increased night target acquisition capabilities commensurate with the range capabilities of the automatic weapons. The request for emergency issue of the starlight scopes, mentioned in Section II, Part II, was approved by II FFORCEV and forwarded to USARV on 13 August 1967. The II FFORCEV indorsement further stated that these required starlight scopes are not available for redistribution from present II FFORCEV assets.

RAYMOND P. MURPHY

Brigadier General, USA

141

Commanding

Downgraded at 3 year Intervals
Declassified after 12 years
DOD DIR 5200.10

CONFIDENTIAL

13

24 AUG 1967

AVFBC-H (11 Aug 67)

2d Ind

SUBJECT: Operational Report-Lessons Learned, HQ 5th Battalion (AW) (SP)

2d Artillery, 31 July 1967 (RCS CSFOR-65)

DA, HQ II FFORCEV, APO San Francisco 96266 24 AUG 1967

THRU: Commanding General, USARV, ATTN: AVHGG-DH, APO 96375

Commander in Chief, US Army Pacific, ATTN: GPOP-MH, APO 96558

TO: Assistant Chief of Staff for Force Development, Dept of the Army, Washington, D.C. 20310

- 1. (U) Subject report is forwarded.
- 2. (U) This headquarters concurs with the comments and recommendations in the basic report and the first indorsement.

FOR THE COMMANDER:

CPT. AGC

Asst AG

1 Incl

17

AVHGC-DST (11 Aug 67) 3d Ind SUBJECT: Operational Report-Lessons Learned for the Period Ending 31 July 1967 (RCS CSFOR-65) (U)

HEADQUARTERS, UNITED STATES ARMY VIETNAM, APO San Francisco 96375 : 7 SEP 1967

TO: Commander in Chief, United States Army, Pacific, ATTN: GPOP-OT, APO 96558

- 1. (U) This headquarters has reviewed the Operational Report-Lessons Learned for the period ending 31 July 1967 from Headquarters, 5th Battalion (AW) (SP), 2d Artillery, WFQJAA as indorsed.
- 2. (C) Pertinent comment follows: Reference item concerning a limited night target acquisition capability, section II, part II, page 12: Concur. Comments and recommendation are appropriate.

FOR THE COMMANDER:

EDY

Last AG

Downgraded at 3 year Intervals
Declassified after 12 years
DOD DIR 5200.10

GPOP-DT(11 Aug 67)

4th Ind (U)

SUBJECT: Operational Report for the Quarterly Period Ending 31 July 1967 from HQ, 5th Bn AW (SP) 2d Arty (UIC: WFQJAA)(RCS CSFOR-65)(U)

HQ, US ARMY, PACIFIC, APO Sen Francisco 96558 30 OCT 1967

TO: Assistant Chief of Staff for Force Development, Department of the Army, Washington, D. C. 20310

- 1. This headquarters has evaluated subject report and forwarding indorsements and concurs in the report as indorsed.
- 2. This headquarters has not received the MTOE reportedly submitted per paragraph b, Section II, Part II, page 12 of basic report.

FOR THE COMMANDER IN CHIEF:

L'Uchain E. F. OSBOURN

MAJ, AGC

Asst AG